



Asthma Facts and Figures

What Is Asthma?

- [Asthma](#) is a chronic (long-term) disease that causes inflammation and swelling of the airways. This results in narrowing of the large and small airways that carry air from the nose and mouth to the lungs.
- [Asthma symptoms](#) include trouble breathing (shortness of breath), wheezing, coughing, and tightness or pain in the chest.
- Asthma symptoms can be triggered by different things for different people. Allergens, like seasonal pollen, mold spores, dust, or pet dander, are common triggers. Some people also develop asthma symptoms in response to respiratory infections, airway irritants, pollution, weather changes, certain foods or medicines, strong emotions, or with exercise.
- Asthma can be deadly if it is not recognized and managed appropriately.
- There is no cure for asthma, but appropriate education and treatment can control and prevent asthma attacks and can help you have a better quality of life.
- Asthma is one of the most common and costly diseases in the United States.

How Common Is Asthma?

- Over 28 million people in the U.S. have asthma. This equals about 1 in 12 people.^{1,2}
- Over 23 million U.S. adults ages 18 and older have asthma.¹
- Asthma rates are highest in Black adults in the U.S.¹
- Asthma is more common in female adults than male adults. Around 11.0% of female adults have asthma, compared to 6.8% of male adults.¹
- It is a leading chronic disease in children.³ Currently, there are about 4.9 million children under the age of 18 with asthma.²
- Non-Hispanic Black children are nearly 2 times more likely to have asthma compared to non-Hispanic White children.²
- Asthma is more common in male children than female children. Around 7.6% of male children have asthma, compared to 5.7% of female children.²

What Are the Rates of Asthma Attacks in Children?

- In 2021, 38.7% of children ages 18 and younger who had asthma reported having one or more asthma attacks in the past year.⁴
 - About 63.1% of children under the age of 5 with asthma had an attack.⁴



- According to the Centers for Disease Control and Prevention (CDC), asthma attacks in children have declined from 2001 through 2020 (from 62% to 43%).⁵ Even though asthma is controllable, it is estimated that 44% of children with asthma have uncontrolled asthma.⁶

What Are the Rates of Asthma Attacks in Adults?

- In 2021, 39.6% of adults ages 18 and older who had asthma reported having one or more asthma attacks in the past year.⁴
- According to the CDC, asthma attacks in adults have declined from 2001 through 2020 (from 54% to 41%).⁵

How Many People Seek Medical Care for Asthma?

- In 2019, asthma accounted for 4.9 million doctors' office visits.⁷
- In 2020, asthma accounted for 94,560 discharges from hospital inpatient care and 986,453 emergency department visits.⁸
- Black people in the U.S. are nearly 6 times more likely than White people in the U.S. to visit the emergency department due to asthma.⁸

How Many People Die from Asthma?

- On average, 9 people in the U.S. die from asthma each day. In 2023, 3,190 people died from asthma. Nearly all of these deaths are avoidable with the right treatment and care.⁹
 - In 2020, deaths due to asthma rose for the first time in 20 years.⁵ This increase may have been due to the COVID-19 pandemic.
- Adults are 7 times more likely to die from asthma than children.⁹
- Female adults are more likely to die from asthma than male adults, and male children are more likely than female children.⁹
- Black people in the U.S. are nearly 2 times more likely to die from asthma than White people in the U.S.⁹
- When sex is factored in, Black males had the highest rate of fatality due to asthma in 2023. Black males were more than 3 times more likely to die from asthma than White males.¹⁰



What Are the Costs of Asthma?

- From 2008–2013, the annual economic cost of asthma was more than \$81.9 billion – including medical costs and loss of work and school days:¹¹
 - \$3 billion in losses due to missed work and school days
 - \$29 billion due to asthma-related mortality
 - \$50.3 billion in medical costs
- Medical costs for people with asthma are estimated to be \$3,266 higher per year (in 2015 U.S. dollars) compared to medical costs for people without asthma.¹¹
- Asthma is one of the top reasons people with asthma miss work or school. On average, people with asthma miss 2 more days of work or school each year than people without asthma.¹²

Why Do Certain Racial or Ethnic Groups Have Higher Rates of Asthma, Asthma Attacks, or Asthma Deaths?

See AAFA’s groundbreaking research report on [Asthma Disparities in America](#). Racial and ethnic differences in asthma frequency, illness, and death are caused by complex factors, including:

- **Structural determinants** such as systemic racism, segregation, and discriminatory policies
- **Social determinants** such as socioeconomic status, education, neighborhood and physical environment, employment, social support networks, and access to health care
- **Biological determinants** such as genes and ancestry
- **Behavioral determinants** such as tobacco use and adherence to medicines
- Social determinants and structural inequities (systemic racism) largely drive disparities in asthma. Factors such as genetics and individual behaviors contribute less to asthma disparities.

Why Do Males and Females Have Different Rates of Asthma?

- Male children are more likely to have asthma than female children. This trend reverses in adulthood, where female adults are more likely to have asthma than male adults.²
- Some studies suggest this trend reverses because of the effects of testosterone on lung cells. Testosterone, a male sex hormone, has been found to decrease the swelling of the airways in asthma.¹³



Medical Review: April 2025 by John M. James, MD

References

1. National Center for Health Statistics. *NHIS Adult Summary Health Statistics*. Data accessed April 16, 2025. Available from <https://data.cdc.gov/d/25m4-6qqq>
2. National Center for Health Statistics. *NHIS Child Summary Health Statistics*. Data accessed April 16, 2025. Available from <https://data.cdc.gov/d/wxz7-ekz9>
3. Ferrante, G., & La Grutta, S. (2018). The Burden of Pediatric Asthma. *Frontiers in Pediatrics*, 6. <https://doi.org/10.3389/fped.2018.00186>
4. Centers for Disease Control and Prevention. (2023). 2021 National Health Interview Survey Data. U.S. Department of Health & Human Services. <https://www.cdc.gov/asthma/nhis/2021/data.htm>
5. Centers for Disease Control and Prevention. (2023). *Asthma Data Visualizations*. <https://www.cdc.gov/asthma/data-visualizations/default.htm>
6. National Asthma Control Program. (2022). *Uncontrolled Asthma Among Children With Current Asthma, 2018–2020*. National Center for Environmental Health. https://archive.cdc.gov/#/details?url=https://www.cdc.gov/asthma/asthma_stats/uncontrolled-asthma-children-2018-2020.htm
7. National Center for Health Statistics. (2022). *National Ambulatory Medical Care Survey: 2019 National Summary Tables*. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. https://www.cdc.gov/nchs/data/ahcd/namcs_summary/2019-namcs-web-tables-508.pdf
8. Agency for Healthcare Research and Quality. (2023). *Healthcare Cost and Utilization Project 2020 Healthcare Use Data*. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. <https://www.cdc.gov/asthma/healthcare-use/2020/data.htm>
9. National Center for Health Statistics. *National Vital Statistics System: Mortality (2018–2023)*. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. <https://wonder.cdc.gov/ucd-icd10-expanded.html>
10. National Center for Health Statistics. *National Vital Statistics System: Underlying Cause of Death 2018–2021*. (2023). U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. <https://wonder.cdc.gov/ucd-icd10-expanded.html>
11. Nurmagambetov, T., Kuwahara, R., & Garbe, P. (2018). The Economic Burden of Asthma in the United States, 2008–2013. *Annals of the American Thoracic Society*, 15(3), 348–356. <https://doi.org/10.1513/annalsats.201703-259oc>
12. Song, H. J., Blake, K. V., Wilson, D. L., Winterstein, A. G., & Park, H. (2020). Medical Costs and Productivity Loss Due to Mild, Moderate, and Severe Asthma in the United States. *Journal of Asthma and Allergy*, 13, 545–555. <https://doi.org/10.2147/JAA.S272681>
13. Jenkins, C. R., Boulet, L.-P., Lavoie, K. L., Raheison-Semjen, C., & Singh, D. (2022). Personalized Treatment of Asthma: The Importance of Sex and Gender Differences. *The Journal of Allergy and Clinical Immunology: In Practice*, 10(4), 963–971.e3. <https://doi.org/10.1016/j.jaip.2022.02.002>