



March 16, 2023

The Honorable Robert Aderholt
 Chairman
 Subcommittee on Labor, Health and Human
 Services, Education, and Related Agencies
 Committee on Appropriations
 United States House of Representatives
 Washington, DC 20515

The Honorable Rosa DeLauro
 Ranking Member
 Subcommittee on Labor, Health and Human
 Services, Education, and Related Agencies
 Committee on Appropriations
 United States House of Representatives
 Washington, DC 20515

Dear Chairman Aderholt and Ranking Member DeLauro:

As your Subcommittee moves forward with the FY 2024 Labor, Health and Human Services, Education and Related Agencies Appropriations bill, we urge you to increase funding for the Centers for Disease Control and Prevention’s (CDC) Office on Smoking and Health (OSH) by \$63.5 million, for a total of \$310 million. This increase would help OSH respond to high rates of e-cigarette use among youth and the devastating toll that tobacco¹ continues to take on our nation’s health.

Tobacco use has long been the leading preventable cause of death in the United States. Tobacco is responsible for more than 480,000 deaths and approximately \$241 billion in health care costs in the United States each year. Nearly one in three heart disease deaths and cancer deaths and nearly eight in 10 chronic obstructive pulmonary disease (COPD) deaths are caused by tobacco use. Tobacco use almost always begins during adolescence, and most adult smokers want to quit, but overcoming an addiction to nicotine is difficult and often requires multiple quit attempts.

Youth continue to use e-cigarettes at alarming levels. CDC and the Food and Drug Administration’s (FDA) most recent National Youth Tobacco Survey showed that more than 2.5 million middle and high school

¹ References to tobacco in this letter refer to commercial tobacco and not ceremonial tobacco which is used by some American Indian communities.

students reported using e-cigarettes last year. Alarming, 46 percent of high school e-cigarette users reported use on 20 days or more a month, including 30.1 percent who reported daily use, a sign that youth are addicted. According to the Surgeon General, e-cigarettes expose users to nicotine and other potentially harmful substances and are not safe for youth and young adults. A more robust public health response is needed to prevent e-cigarettes from placing a new generation at risk for nicotine addiction and tobacco use.

While smoking rates overall have declined, over 31 million people in the U.S. continue to smoke cigarettes. Smoking is higher among certain groups and in particular regions of the country, including people with lower incomes and lower levels of education, Native Americans, people living in rural communities, people with behavioral health conditions, and the LGBTQ community. Black Americans die from smoking-caused diseases at far higher rates than other Americans despite starting to smoke at a later age, smoking fewer cigarettes per day, and being more likely to make a quit attempt. Communities with higher rates of tobacco use are often the targets of tobacco industry marketing and have fewer resources for tobacco cessation. Targeted action is needed to reduce tobacco use where it remains high.

OSH has a vital role to play in addressing tobacco use. OSH provides grants to states and territories to support tobacco prevention and cessation programs, runs a highly successful national media campaign called Tips from Former Smokers (Tips), conducts research on tobacco use, and develops best practices for reducing it. Additional resources will allow OSH to address the threat to public health posed by high rates of youth e-cigarette use while continuing to prevent and reduce other forms of tobacco use. With additional resources:

- CDC could strengthen efforts to assist groups who are disproportionately harmed by tobacco products, including by designing and implementing prevention and cessation programs that are tailored to address their specific needs.
- CDC could enhance efforts to end youth and young adult tobacco use, including e-cigarette use, by providing more resources to state and local health departments; educating youth, parents, health professionals, communities, and others about tobacco products and the harms associated with their use; and identifying evidence-based strategies to protect youth and young adults from initiating tobacco use.
- CDC could expand a program that we know works to reduce tobacco use: the Tips media campaign. From 2012 through 2018, CDC estimates that more than 16.4 million people who smoke attempted to quit and approximately one million smokers have quit for good because of the Tips campaign. As a result, the Tips campaign has helped prevent an estimated 129,100 smoking-related deaths and saved an estimated \$7.3 billion in health care costs.

We appreciate that the Consolidated Appropriations Act, 2023 (P.L. 117-328) increased funding for OSH by \$5 million in FY 2023. Additional investments in tobacco prevention and cessation will save lives, reduce tobacco-related health disparities, and reduce the cost of treating tobacco-caused disease. We urge you to increase funding for CDC's OSH from \$246.5 million to \$310 million, which will enable CDC to address the challenges posed by e-cigarettes, continue to make progress reducing the death and disease caused by other tobacco products, and strengthen efforts to assist groups disproportionately harmed by tobacco products.

Sincerely,

Action on Smoking and Health
African American Tobacco Control Leadership Council (AATCLC)
Allergy & Asthma Network
American Academy of Family Physicians
American Academy of Nursing
American Academy of Otolaryngology- Head and Neck Surgery
American Academy of Pediatrics
American Association for Cancer Research
American Association for Dental, Oral, and Craniofacial Research
American Association for Respiratory Care
American Cancer Society Cancer Action Network
American College of Cardiology
American College of Preventive Medicine
American Federation of Teachers
American Heart Association
American Lung Association
American School Health Association
American Society of Addiction Medicine
American Thoracic Society
Americans for Nonsmokers' Rights
Asian Pacific Partners for Empowerment, Advocacy and Leadership (APPEAL)
Association for Clinical Oncology
Association for the Treatment of Tobacco Use and Dependence (ATTUD)
Association of Black Cardiologists
Association of Maternal & Child Health Programs
Association of State and Territorial Health Officials
Asthma and Allergy Foundation of America
Big Cities Health Coalition
Breathe Southern California
Campaign for Tobacco-Free Kids
CATCH Global Foundation
Catholic Health Association
Center for Black Equity
Commissioned Officers Association of the USPHS
Community Wellness Alliance
COPD Foundation
Corporate Accountability
Emphysema Foundation of America

Family, Career and Community Leaders of America (FCCLA)
First Focus Campaign for Children
For Future Lungs
GLMA: Health Professionals Advancing LGBTQ+ Equality
March of Dimes
Mesothelioma Applied Research Foundation
National Alliance to Advance Adolescent Health
National Association of County and City Health Officials
National Association of Hispanic Nurses
National Association of Pediatric Nurse Practitioners
National Association of School Nurses
National Association of Secondary School Principals
National Association of Social Workers
National Black Church Initiative
National Black Nurses Association
National Hispanic Medical Association
National LGBT Cancer Network
National Network of Public Health Institutes
National Tongan American Society
North American Quitline Consortium
Oncology Nursing Society
Parents Against Vaping e-Cigarettes
Prevent Cancer Foundation
Preventing Tobacco Addiction
Foundation/Tobacco 21
Preventive Cardiovascular Nurses Association
Public Health Solutions
Respiratory Health Association
Society for Cardiovascular Angiography and Interventions
Society For Research on Nicotine and Tobacco
Society of State Leaders of Health and Physical Education
Students Against Destructive Decisions (SADD)
The Society of Thoracic Surgeons
Trinity Health
Trust for America's Health



March 16, 2023

The Honorable Tammy Baldwin
 Chair
 Subcommittee on Labor, Health and Human
 Services, Education, and Related Agencies
 Committee on Appropriations
 United States Senate
 Washington, DC 20510

The Honorable Shelley Moore Capito
 Ranking Member
 Subcommittee on Labor, Health and Human
 Services, Education, and Related Agencies
 Committee on Appropriations
 United States Senate
 Washington, DC 20510

Dear Chair Baldwin and Ranking Member Capito:

As your Subcommittee moves forward with the FY 2024 Labor, Health and Human Services, Education and Related Agencies Appropriations bill, we urge you to increase funding for the Centers for Disease Control and Prevention’s (CDC) Office on Smoking and Health (OSH) by \$63.5 million, for a total of \$310 million. This increase would help OSH respond to high rates of e-cigarette use among youth and the devastating toll that tobacco¹ continues to take on our nation’s health.

Tobacco use has long been the leading preventable cause of death in the United States. Tobacco is responsible for more than 480,000 deaths and approximately \$241 billion in health care costs in the United States each year. Nearly one in three heart disease deaths and cancer deaths and nearly eight in 10 chronic obstructive pulmonary disease (COPD) deaths are caused by tobacco use. Tobacco use almost always begins during adolescence, and most adult smokers want to quit, but overcoming an addiction to nicotine is difficult and often requires multiple quit attempts.

Youth continue to use e-cigarettes at alarming levels. CDC and the Food and Drug Administration’s (FDA) most recent National Youth Tobacco Survey showed that more than 2.5 million middle and high school students reported using e-cigarettes last year. Alarming, 46 percent of high school e-cigarette users

¹ References to tobacco in this letter refer to commercial tobacco and not ceremonial tobacco which is used by some American Indian communities.

reported use on 20 days or more a month, including 30.1 percent who reported daily use, a sign that youth are addicted. According to the Surgeon General, e-cigarettes expose users to nicotine and other potentially harmful substances and are not safe for youth and young adults. A more robust public health response is needed to prevent e-cigarettes from placing a new generation at risk for nicotine addiction and tobacco use.

While smoking rates overall have declined, over 31 million people in the U.S. continue to smoke cigarettes. Smoking is higher among certain groups and in particular regions of the country, including people with lower incomes and lower levels of education, Native Americans, people living in rural communities, people with behavioral health conditions, and the LGBTQ community. Black Americans die from smoking-caused diseases at far higher rates than other Americans despite starting to smoke at a later age, smoking fewer cigarettes per day, and being more likely to make a quit attempt. Communities with higher rates of tobacco use are often the targets of tobacco industry marketing and have fewer resources for tobacco cessation. Targeted action is needed to reduce tobacco use where it remains high.

OSH has a vital role to play in addressing tobacco use. OSH provides grants to states and territories to support tobacco prevention and cessation programs, runs a highly successful national media campaign called Tips from Former Smokers (Tips), conducts research on tobacco use, and develops best practices for reducing it. Additional resources will allow OSH to address the threat to public health posed by high rates of youth e-cigarette use while continuing to prevent and reduce other forms of tobacco use. With additional resources:

- CDC could strengthen efforts to assist groups who are disproportionately harmed by tobacco products, including by designing and implementing prevention and cessation programs that are tailored to address their specific needs.
- CDC could enhance efforts to end youth and young adult tobacco use, including e-cigarette use, by providing more resources to state and local health departments; educating youth, parents, health professionals, communities, and others about tobacco products and the harms associated with their use; and identifying evidence-based strategies to protect youth and young adults from initiating tobacco use.
- CDC could expand a program that we know works to reduce tobacco use: the Tips media campaign. From 2012 through 2018, CDC estimates that more than 16.4 million people who smoke attempted to quit and approximately one million smokers have quit for good because of the Tips campaign. As a result, the Tips campaign has helped prevent an estimated 129,100 smoking-related deaths and saved an estimated \$7.3 billion in health care costs.

We were pleased that the FY 2023 Senate Labor, Health and Human Services, Education and Related Agencies Appropriations bill included a \$20 million increase for OSH and appreciated that the Consolidated Appropriations Act, 2023 (P.L. 117-328) increased funding for OSH by \$5 million in FY 2023. Additional investments in tobacco prevention and cessation will save lives, reduce tobacco-related health disparities, and reduce the cost of treating tobacco-caused disease. We urge you to increase funding for CDC's OSH from \$246.5 million to \$310 million, which will enable CDC to address the challenges posed by e-cigarettes, continue to make progress reducing the death and disease caused by other tobacco products, and strengthen efforts to assist groups disproportionately harmed by tobacco products.

Sincerely,

Action on Smoking and Health
African American Tobacco Control Leadership Council (AATCLC)
Allergy & Asthma Network
American Academy of Family Physicians
American Academy of Nursing
American Academy of Otolaryngology- Head and Neck Surgery
American Academy of Pediatrics
American Association for Cancer Research
American Association for Dental, Oral, and Craniofacial Research
American Association for Respiratory Care
American Cancer Society Cancer Action Network
American College of Cardiology
American College of Preventive Medicine
American Federation of Teachers
American Heart Association
American Lung Association
American School Health Association
American Society of Addiction Medicine
American Thoracic Society
Americans for Nonsmokers' Rights
Asian Pacific Partners for Empowerment, Advocacy and Leadership (APPEAL)
Association for Clinical Oncology
Association for the Treatment of Tobacco Use and Dependence (ATTUD)
Association of Black Cardiologists
Association of Maternal & Child Health Programs
Association of State and Territorial Health Officials
Asthma and Allergy Foundation of America
Big Cities Health Coalition
Breathe Southern California
Campaign for Tobacco-Free Kids
CATCH Global Foundation
Catholic Health Association
Center for Black Equity
Commissioned Officers Association of the USPHS
Community Wellness Alliance
COPD Foundation
Corporate Accountability
Emphysema Foundation of America

Family, Career and Community Leaders of America (FCCLA)
First Focus Campaign for Children
For Future Lungs
GLMA: Health Professionals Advancing LGBTQ+ Equality
March of Dimes
Mesothelioma Applied Research Foundation
National Alliance to Advance Adolescent Health
National Association of County and City Health Officials
National Association of Hispanic Nurses
National Association of Pediatric Nurse Practitioners
National Association of School Nurses
National Association of Secondary School Principals
National Association of Social Workers
National Black Church Initiative
National Black Nurses Association
National Hispanic Medical Association
National LGBT Cancer Network
National Network of Public Health Institutes
National Tongan American Society
North American Quitline Consortium
Oncology Nursing Society
Parents Against Vaping e-Cigarettes
Prevent Cancer Foundation
Preventing Tobacco Addiction
Foundation/Tobacco 21
Preventive Cardiovascular Nurses Association
Public Health Solutions
Respiratory Health Association
Society for Cardiovascular Angiography and Interventions
Society For Research on Nicotine and Tobacco
Society of State Leaders of Health and Physical Education
Students Against Destructive Decisions (SADD)
The Society of Thoracic Surgeons
Trinity Health
Trust for America's Health